

Epidemiology Department Publications



Andre B. Araujo, Ph.D.
Director, Epidemiology
New England Research Institutes, Inc.
9 Galen Street
Watertown, MA 02472
Telephone: 617.972.3152
Fax: 617.673.9509
E-mail: aaaraujo@neriscience.com

June 2010

MASSACHUSETTS MALE AGING STUDY (MMAS) PUBLICATIONS

1. Araujo AB, Hall SA, Ganz P, Chiu GR, Rosen RC, Kupelian V, Travison TG, McKinlay JB. Does erectile dysfunction contribute to cardiovascular disease risk prediction beyond the Framingham risk score? *J Am Coll Cardiol*. 2010 Jan 26;55(4):350-6.
2. Araujo AB, Travison TG, Ganz PA, Chiu GR, Kupelian V, Rosen RC, Hall SA, McKinlay JB. Erectile dysfunction and mortality. *J Sex Med* 2009; 6(9):2445-54
3. Araujo AB, Kupelian V, Page ST, Handelsman DJ, Bremner WJ, McKinlay JB. Sex steroids and all-cause mortality and cause-specific mortality in men. *Arch Intern Med* 2007, 167(12):1252-60. PMID: 17592098
4. Araujo AB, O'Donnell AB, Brambilla DJ, Simpson WB, Longcope C, Matsumoto AM, McKinlay JB. Prevalence and incidence of androgen deficiency in middle-aged and older men: estimates from the Massachusetts Male Aging Study. *J Clin Endocrinol Metab* 2004;89(12):5920-6. PMID: 15579737
5. Araujo AB, Mohr BA, McKinlay JB. Changes in sexual function in middle-aged and older Men: Longitudinal data from the Massachusetts Male Aging Study. *J Am Geriatr Soc* 2004;52(9):1502-9. PMID: 15341552
6. Araujo AB, Johannes CB, Feldman HA, Derby CA, McKinlay JB. Relation between psychosocial risk factors and incident erectile dysfunction: prospective results from the Massachusetts Male Aging Study. *Am J Epidemiol* 2000;152(6):533-41. PMID: 10997543
7. Araujo AB, Durante R, Feldman HA, Goldstein I, McKinlay JB. The relationship between depressive symptoms and male erectile dysfunction: cross-sectional results from the Massachusetts Male Aging Study. *Psychosom Med* 1998;60(4):458-65. PMID: 9710291
8. Ascherio A, Stampfer MJ, Colditz GA, Willett WC, McKinlay J. Nutrient intakes and blood pressure in normotensive males. *Int J Epidemiol* 1991;20(4):886-91. PMID: 1666065
9. Aytac IA, Araujo AB, Johannes CB, Kleinman KP, McKinlay JB. Socioeconomic factors and incidence of erectile dysfunction: findings of the longitudinal Massachusetts Male Aging Study. *Soc Sci Med* 2000;51(5):771-8. PMID: 10975236
10. Aytac IA, McKinlay JB, Krane RJ. The likely worldwide increase in erectile dysfunction between 1995 and 2025 and some possible policy consequences. *BJU Int* 1999;84(1):50-6. PMID: 10444124
11. Brambilla DJ, McKinlay SM, McKinlay JB, Weiss SR, Johannes CB, Crawford SL, Longcope C. Does collecting repeated blood samples from each subject improve the precision of estimated steroid hormone levels? *J Clin Epidemiol* 1996;49(3):345-50. PMID: 8676183
12. Derby CA, Zilber S, Brambilla D, Morales KH, McKinlay JB. Body mass index, waist circumference and waist to hip ratio and change in sex steroid hormones: the Massachusetts Male Ageing Study. *Clin Endocrinol (Oxf)* 2006;65(1):125-31. PMID: 16817831
13. Derby CA, Barbour MM, Hume AL, McKinlay JB. Drug therapy and prevalence of erectile dysfunction in the Massachusetts Male Aging Study cohort. *Pharmacotherapy* 2001;21(6):676-83. PMID: 11401181

14. Derby CA, Mohr BA, Goldstein I, Feldman HA, Johannes CB, McKinlay JB. Modifiable risk factors and erectile dysfunction: can lifestyle changes modify risk? *Urology* 2000;56(2):302-6. PMID: 10925098
15. Derby CA, Araujo AB, Johannes CB, Feldman HA, McKinlay JB. Measurement of erectile dysfunction in population-based studies: the use of a single question self-assessment in the Massachusetts Male Aging Study. *Int J Impot Res* 2000;12(4):197-204. PMID: 11079360
16. Feldman HA, Longcope C, Derby CA, Johannes CB, Araujo AB, Coviello AD, Bremner WJ, McKinlay JB. Age trends in the level of serum testosterone and other hormones in middle-aged men: longitudinal results from the Massachusetts male aging study. *J Clin Endocrinol Metab* 2002;87(2):589-98. PMID: 11836290
17. Feldman HA, Johannes CB, Araujo AB, Mohr BA, Longcope C, McKinlay JB. Low dehydroepiandrosterone and ischemic heart disease in middle-aged men: prospective results from the Massachusetts Male Aging Study. *Am J Epidemiol* 2001;153(1):79-89. PMID: 11159150
18. Feldman HA, Johannes CB, Derby CA, Kleinman KP, Mohr BA, Araujo AB, McKinlay JB. Erectile dysfunction and coronary risk factors: prospective results from the Massachusetts male aging study. *Prev Med* 2000;30(4):328-38. PMID: 10731462
19. Feldman HA, Johannes CB, McKinlay JB, Longcope C. Low dehydroepiandrosterone sulfate and heart disease in middle-aged men: cross-sectional results from the Massachusetts Male Aging Study. *Ann Epidemiol* 1998;8(4):217-28. PMID: 11159150
20. Feldman HA, Goldstein I, Hatzichristou DG, Krane RJ, McKinlay JB. Impotence and its medical and psychosocial correlates: results of the Massachusetts Male Aging Study. *J Urol* 1994;151(1):54-61. PMID: 8254833
21. Feldman HA, Goldstein I, Hatzichristou DG, Krane RJ, McKinlay JB. Construction of a surrogate variable for impotence in the Massachusetts Male Aging Study. *J Clin Epidemiol* 1994;47(5):457-67. PMID: 8254833
22. Field AE, Colditz GA, Willett WC, Longcope C, McKinlay JB. The relation of smoking, age, relative weight, and dietary intake to serum adrenal steroids, sex hormones, and sex hormone-binding globulin in middle-aged men. *J Clin Endocrinol Metab* 1994;79(5):1310-6. PMID: 7962322
23. Fonda SJ, Bertrand R, O'Donnell AB, Longcope C, McKinlay JB. Age, hormones, and cognitive functioning among middle-aged and elderly men: cross-sectional evidence from the Massachusetts Male Aging Study. *J Gerontol A Biol Sci Med Sci* 2005;60(3):385-90. PMID: 15860479
24. Goldstein I, Hatzichristou DG. Epidemiology of impotence. In: Bennett AH, ed. *Impotence: Diagnosis and Management of Erectile Dysfunction*. Philadelphia: W. B. Saunders; 1994:1-15.
25. Gray A, Jackson DN, McKinlay JB. The relation between dominance, anger, and hormones in normally aging men: results from the Massachusetts Male Aging Study. *Psychosom Med* 1991;53(4):375-85. PMID: 1924650

26. Gray A, Feldman HA, McKinlay JB, Longcope C. Age, disease, and changing sex hormone levels in middle-aged men: results of the Massachusetts Male Aging Study. *J Clin Endocrinol Metab* 1991;73(5):1016-25. PMID: 1719016
27. Gray A, Berlin JA, McKinlay JB, Longcope C. An examination of research design effects on the association of testosterone and male aging: results of a meta-analysis. *J Clin Epidemiol* 1991;44(7):671-84. PMID: 1829756
28. Hall SA, Shackelton R, Rosen RC, Araujo AB. Risk factors for incident erectile dysfunction among community-dwelling men. *J Sex Med*. 2009 Nov 19. [Epub ahead of print]
29. Hall SA, Shackelton R, Rosen RC, Araujo AB. Sexual activity, erectile dysfunction, and incident cardiovascular events. *Am J Cardiol*. 2010 Jan 15;105(2):192-7.
30. Johannes CB, Araujo AB, Feldman HA, Derby CA, Kleinman KP, McKinlay JB. Incidence of erectile dysfunction in men 40 to 69 years old: longitudinal results from the Massachusetts male aging study. *J Urol* 2000;163(2):460-3. PMID: 10647654
31. Johannes CB, Avis NE. Gender differences in sexual activity among mid-aged adults in Massachusetts. *Maturitas* 1997;26(3):175-84. PMID: 9147349
32. Kalish LA, McDougal WS, McKinlay JB. Family history and the risk of prostate cancer. *Urology* 2000;56(5):803-6. PMID: 11068306
33. Kalish LA, McKinlay JB. Serum prostate-specific antigen levels (PSA) in men without clinical evidence of prostate cancer: age-specific reference ranges for total PSA, free PSA, and percent free PSA. *Urology* 1999;54(6):1022-7. PMID: 10604702
34. Kleinman KP, McKinlay JB. Prostate cancer: How much do we know and how do we know it? *The Aging Male* 2000;3:115-23. PMID: 16760146
35. Kleinman KP, Feldman HA, Johannes CB, Derby CA, McKinlay JB. A new surrogate variable for erectile dysfunction status in the Massachusetts male aging study. *J Clin Epidemiol* 2000;53(1):71-8. PMID: 10693906
36. Krithivas K, Yurgalevitch SM, Mohr BA, Wilcox CJ, Batter SJ, Brown M, Longcope C, McKinlay JB, Kantoff PW. Evidence that the CAG repeat in the androgen receptor gene is associated with the age-related decline in serum androgen levels in men. *J Endocrinol* 1999;162(1):137-42. PMID: 10396030
37. Kupelian V, Shabsigh R, Travison TG, Page ST, Araujo AB, McKinlay JB. Is there a relationship between sex hormones and erectile dysfunction? Results from the Massachusetts Male Aging Study. *J Urol* 2006;176(6):2584-8. PMID: 17085164
38. Kupelian V, Shabsigh R, Araujo AB, O'Donnell AB, McKinlay JB. Erectile dysfunction as a predictor of the metabolic syndrome in aging men: results from the Massachusetts Male Aging Study. *J Urol* 2006;176(1):222-6. PMID: 16753405
39. Kupelian V, Page ST, Araujo AB, Travison TG, Bremner WJ, McKinlay JB. Low sex hormone-binding globulin, total testosterone, and symptomatic androgen deficiency are associated with development of the metabolic syndrome in nonobese men. *J Clin Endocrinol Metab* 2006;91(3):843-50. PMID: 16394089
40. Longcope C, Feldman HA, McKinlay JB, Araujo AB. Diet and sex hormone-binding globulin. *J Clin Endocrinol Metab* 2000;85(1):293-6. PMID: 10634401

41. Longcope C, Goldfield SR, Brambilla DJ, McKinlay J. Androgens, estrogens, and sex hormone-binding globulin in middle-aged men. *J Clin Endocrinol Metab* 1990;71(6):1442-6. PMID: 2229299
42. McKinlay JB, Travison TG, Araujo AB, Kupelian V. Male menopause: time for a decent burial? *Menopause* 2007;14(6):973-5. PMID: 17975518
43. McKinlay JB. Debate: Should we begin a large clinical trial of testosterone in men? "Not yet". *J Men's Health Gender* 2006;3(1):33-5.
44. McKinlay JB. The worldwide prevalence and epidemiology of erectile dysfunction. *Int J Impot Res* 2000;12 Suppl 4:S6-S11. PMID: 11035380
45. McKinlay JB, Digruttolo L, Glasser D, Sweeney M, Shirai MF. International differences in the epidemiology of male erectile dysfunction. *Int J Clin Pract Suppl* 1999;102:35. PMID: 10665122
46. McKinlay JB, Feldman HA. Age-related variation in sexual activity and interest in normal men: Results from the Massachusetts Male Aging Study. In: Rossi AS, ed. *Sexuality Across the Lifecourse: Proceedings of the MacArthur Foundation Research Network on Successful Mid-Life Development*, 1992. New York, NY: University of Chicago Press; 1994:261-85.
47. McKinlay JB. Medical and psychological influences on erectile dysfunction: results from a community study. *Kuwait Med J* 1994(353-8).
48. McKinlay JB. Optimal survey research methods for studying health-related behaviors of older people. *Vital Health Stat* 5 1991(6):81-92. PMID: 1844679
49. McKinlay JB, Longcope C, Gray A. The questionable physiologic and epidemiologic basis for a male climacteric syndrome: preliminary results from the Massachusetts Male Aging Study. *Maturitas* 1989;11(2):103-15. PMID: 2787886
50. McKinlay JB. Is there an epidemiologic basis for a male climacteric syndrome? The Massachusetts Male Aging Study. *Prog Clin Biol Res* 1989;320:163-92. PMID: 2690135
51. McKinlay JB. Is there an epidemiologic basis for the male climacteric? The Massachusetts Male Aging Study. In: Hammond C, Haseltine F, Schiff I, eds. *Menopause: Evaluation, Treatment, and Health Concerns*. New York: A.R. Liss; 1989.
52. McKinlay JB. The Massachusetts Male Aging Study and male climacteric. In: Featherstone M, Hepworth M, eds. *The Future of Adult Life*. London: Teeside Polytechnic; 1989.
53. McKinlay SM, McKinlay JB. Aging in a 'healthy' population. *Soc Sci Med* 1986;23(5):531-5. PMID: 3489991
54. McNaughton Collins M, Kleinman K, Barry MJ, Meigs JB, Yurgalevitch SM, McKinlay JB. Prostate specific antigen levels: Effect of sexual activity. *The Prostate Journal* 1999;1(2):82-7.
55. Meigs JB, Mohr B, Barry MJ, Collins MM, McKinlay JB. Risk factors for clinical benign prostatic hyperplasia in a community-based population of healthy aging men. *J Clin Epidemiol* 2001;54(9):935-44. PMID: 11520654

56. Mohr BA, Bhasin S, Kupelian V, Araujo AB, O'Donnell AB, McKinlay JB. Testosterone, sex hormone-binding globulin, and frailty in older men. *J Am Geriatr Soc* 2007, 55(4):548-55. PMID: 17397433
57. Mohr BA, Bhasin S, Link CL, O'Donnell AB, McKinlay JB. The effect of changes in adiposity on testosterone levels in older men: longitudinal results from the Massachusetts Male Aging Study. *Eur J Endocrinol* 2006;155(3):443-52. PMID: 16914599
58. Mohr BA, Guay AT, O'Donnell AB, McKinlay JB. Normal, bound and nonbound testosterone levels in normally ageing men: results from the Massachusetts Male Ageing Study. *Clin Endocrinol (Oxf)* 2005;62(1):64-73. PMID: 16060922
59. Mohr BA, Araujo AB, O'Donnell AB, Kupelian V, Travison TG, McKinlay JB. More on the measurement of normal testosterone levels: comments on the Barrett-Connor commentary. *Clin Endocrinol (Oxf)* 2005;63(2):235-7. PMID: 15638872
60. Mohr BA, Feldman HA, Kalish LA, Longcope C, McKinlay JB. Are serum hormones associated with the risk of prostate cancer? Prospective results from the Massachusetts Male Aging Study. *Urology* 2001;57(5):930-5. PMID: 11337297
61. NIH Consensus Conference. Impotence. (Speakers incl. McKinlay JB, The prevalence and demographics of impotence.). *JAMA* 1993;270:83-90. Also published as NIH Consensus Statement 10: 1-31, Dec 7-9, 1992.
62. O'Donnell AB, Travison TG, Harris SS, Tenover JL, McKinlay JB. Testosterone, dehydroepiandrosterone, and physical performance in older men: results from the Massachusetts Male Aging Study. *J Clin Endocrinol Metab* 2006;91(2):425-31. PMID: 16332936
63. O'Donnell AB, Araujo AB, Goldstein I, McKinlay JB. The validity of a single-question self-report of erectile dysfunction. *J Gen Intern Med* 2005;20(6):515-9. PMID: 15987326
64. O'Donnell AB, Araujo AB, McKinlay JB. The health of normally aging men: The Massachusetts Male Aging Study (1987-2004). *Exp Gerontol* 2004;39(7):975-84. PMID: 15236757
65. Page ST, Mohr BA, Link, CL, O'Donnell AB, Bremner WJ, McKinlay JB. Higher testosterone levels are associated with increased HDL-C in men with cardiovascular disease: Results from the Massachusetts Male Aging Study. *Asian J Androl* 2008; 10(2):193-200. PMID: 18097527
66. Page ST, Kupelian V, Bremner WJ, McKinlay JB. The androgen receptor gene CAG repeat polymorphism does not predict increased risk of heart disease: longitudinal results from the Massachusetts Male Ageing Study. *Clin Endocrinol (Oxf)* 2006;65(3):333-9. PMID: 16918952
67. Seidman SN, Araujo AB, Roose SP, Devanand DP, Xie S, Cooper TB, McKinlay JB. Low testosterone levels in elderly men with dysthymic disorder. *Am J Psychiatry* 2002;159(3):456-9. PMID: 11870011
68. Seidman SN, Araujo AB, Roose SP, McKinlay JB. Testosterone level, androgen receptor polymorphism, and depressive symptoms in middle-aged men. *Biol Psychiatry* 2001;50(5):371-6. PMID: 11543741

69. Smith KW, Feldman HA, McKinlay JB. Construction and field validation of a self-administered screener for testosterone deficiency (hypogonadism) in ageing men. *Clin Endocrinol (Oxf)* 2000;53(6):703-11. PMID: 11155092
70. Stellato RK, Feldman HA, Hamdy O, Horton ES, McKinlay JB. Testosterone, sex hormone-binding globulin, and the development of type 2 diabetes in middle-aged men: prospective results from the Massachusetts male aging study. *Diab Care* 2000;23(4):490-4. PMID: 10857940
71. Travison TG, Shackelton R, Araujo AB, Hall SA, Williams RE, Clark RV, O'Donnell AB, McKinlay JB. The natural history of symptomatic androgen deficiency in men: onset, progression, and spontaneous remission. *J Am Geriatr Soc.* 2008 May;56(5):831-9. PMID: 18454749
72. Travison TG, O'Donnell AB, Araujo AB, Matsumoto AM, McKinlay JB. Cortisol levels and body composition in middle aged and older men. *Clin Endocrinol (Oxf)* 2007, 67(1):71-7. PMID: 17466009
73. Travison TG, Shabsigh R, Araujo AB, Kupelian V, O'Donnell AB, McKinlay JB. The natural progression and remission of erectile dysfunction: results from the Massachusetts Male Aging Study. *J Urol* 2007;177(1):241-6; discussion 6. PMID: 17162054
74. Travison TG, Araujo AB, O'Donnell AB, Kupelian V, McKinlay JB. A population-level decline in serum testosterone levels in American men. *J Clin Endocrinol Metab* 2007;92(1):196-202. PMID: 17062768
75. Travison TG, Araujo AB, Kupelian V, O'Donnell A B, McKinlay JB. The relative contributions of aging, health, and lifestyle factors to serum testosterone decline in men. *J Clin Endocrinol Metab* 2007;92(2):549-55. PMID: 17148559
76. Travison TG, Morley JE, Araujo AB, O'Donnell AB, McKinlay JB. The relationship between libido and testosterone levels in aging men. *J Clin Endocrinol Metab* 2006;91(7):2509-13. PMID: 16670164
77. Travison TG, Araujo AB, Wruck LM, Kupelian V, O'Donnell AB, McKinlay JB. Assessment of screening evaluations is not straightforward Comment on: "Comparison of screening questionnaires for the diagnosis of hypogonadism" [J.E. Morley, H.M. Perry III, R.T. Kevorkian, P. Patrick, *Maturitas* 53 (2006) 424-429]. *Maturitas* 2006;54(3):305-6; author reply 7-8. PMID: 16567068
78. Washburn RA, Smith KW, Goldfield SR, McKinlay JB. Reliability and physiologic correlates of the Harvard Alumni Activity Survey in a general population. *J Clin Epidemiol* 1991;44(12):1319-26. PMID: 1753263
79. Washburn RA, Goldfield SR, Smith KW, McKinlay JB. The validity of self-reported exercise-induced sweating as a measure of physical activity. *Am J Epidemiol* 1990;132(1):107-13.
80. Yaggi HK, Araujo AB, McKinlay JB. Sleep duration as a risk factor for the development of type 2 diabetes. *Diab Care* 2006;29(3):657-61. PMID: 16505522

BOSTON AREA COMMUNITY HEALTH (BACH) SURVEY PUBLICATIONS

- 81.** Araujo AB, Esche GR, Kupelian V, O'Donnell AB, Travison TG, Williams RE, Clark RV, McKinlay JB. Prevalence of symptomatic androgen deficiency in men. *J Clin Endocrinol Metab.* 2007 Nov; 92(11): 4241-7.
- 82.** Barry MJ, Link CL, McNaughton-Collins MF, McKinlay JB. Overlap of different urologic symptom complexes in a racially and ethnically diverse, community-based population of men and women. *BJU Int.* 2008 Jan; 101(1): 45-51.
- 83.** Brookes ST, Link CL, Donovan JL, McKinlay JB. Relationship between lower urinary tract symptoms and erectile dysfunction: results from the Boston Area Community Health Survey. *J Urol.* 2008 Jan; 179(1): 250-5.
- 84.** Çinar A, Hall SA, Link CL, Kaplan SA, Kopp ZS, Roehrborn CG, Rosen RC. Cluster analysis and lower urinary tract symptoms (LUTS) in men: findings from the Boston Area Community Health Survey. *BJU Int.* 2008 May; 101(10):1247-56.
- 85.** Clemens JQ, Link CL, Eggers PW, Kusek JW, Nyberg Jr. LM, McKinlay JB. Prevalence of painful bladder symptoms and effect on quality of life in black, Hispanic, and white men and women. *J Urol.* 2007 Apr; 177(4): 1390-4.
- 86.** Connolly TJ, Litman HJ, Tennstedt SL, Link CL, McKinlay JB. The effect of mode of delivery, parity, and birth weight on risk of urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2007 Sep; 18(9): 1033-42.
- 87.** Daniels NA, Link CL, Barry MJ, McKinlay JB. Association between past urinary tract infections and current symptoms suggestive of chronic prostatitis/chronic pelvic pain syndrome. *J Natl Med Assoc.* 2007 May; 99(5): 509-16. PMID: PMC2576075
- 88.** Hall SA, Chiu GR, Kaufman DW, Kelly JP, Link CL, Kupelian V, McKinlay JB. General exposures to prescription medications by race/ethnicity in a population-based sample: results from the Boston Area Community Health Survey. *Pharmacoepidemiol Drug Saf.* 2010 Feb 5 [Epub].
- 89.** Hall SA, Link CL, Hu JC, Eggers PW, McKinlay JB. Drug treatment of urologic symptoms: estimating the magnitude of unmet need in a community-based sample. *BJU Int.* 2009 Dec; 104(11): 1680-8. PMID: PMC2803331
- 90.** Hall SA, Kupelian V, Rosen RC, Travison TG, Link CL, Miner MM, Ganz P, McKinlay JB. Is hyperlipidemia or its treatment associated with erectile dysfunction? Results from the Boston Area Community Health (BACH) Survey. *Journal of Sexual Medicine.* 2009 May; 6(5): 1402-1413.
- 91.** Hall SA, Link CL, Tennstedt SL, Mollon P, Aiyer LP, Chapple CR, Wein AJ, Rosen RC. Urologic symptom clusters and health-related quality-of-life: results from the Boston Area Community Health Survey. *BJU Int.* 2009 June; 103(11): 1502-8.
- 92.** Hall SA, Esche GR, Araujo AB, Travison TG, Clark RV, Williams RE, McKinlay JB. Correlates of low testosterone and symptomatic androgen deficiency in a population-based sample: Results from the Boston Area Community Health (BACH) Survey. *J Clin Endocrinol Metab.* 2008 Oct; 93(10): 3870-7.
- 93.** Hall SA, Link CL, Pulliam SJ, Hanno PM, Eggers PW, Kusek JW, McKinlay JB. The relationship of common medical conditions and medication usage with symptoms of

- Painful Bladder Syndrome: results from the Boston Area Community Health Survey. *J Urol.* 2008 Aug; 180(2): 593-8.
94. Hall SA, Çinar A, Link CL, Kopp ZS, Roehrborn CG, Kaplan SA, Rosen RC. Do urologic symptoms cluster among women? Results from the Boston Area Community Health Survey. *BJU Int.* 2008 May; 101(10):1257-66.
 95. Hall SA, Araujo AB, Esche GR, Williams RE, Clark RV, Travison TG, McKinlay JB. Treatment of symptomatic androgen deficiency: results from the Boston Area Community Health Survey. *Arch Intern Med.* 2008 May 26;168(10):1070-6.
 96. Hall SA, Page ST, Travison TG, Montgomery RB, Link CL, McKinlay JB. Do statins affect androgen levels in men? Results from the Boston Area Community Health (BACH) Survey. *Cancer Epidemiol Biomarkers Prev.* 2007 Aug; 16(8): 1587-94.
 97. Harris SS, Link CL, Tennstedt SL, Kusek JW, McKinlay JB. Care seeking and treatment for urinary incontinence in a diverse population. *J Urol.* 2007 Feb; 177(2): 680-4.
 98. Hu JC, Link CL, McNaughton-Collins M, Barry MJ, McKinlay JB. The association of abuse and symptoms suggestive of chronic prostatitis/chronic pelvic pain syndrome: results from the Boston Area Community Health survey. *J Gen Intern Med.* 2007 Nov; 22(11): 1532-7. PMID: PMC2219794.
 99. FitzGerald MP, Link CL, Litman HJ, McKinlay JB. Beyond the lower urinary tract: the association of urologic and sexual symptoms with common illnesses. *Eur Urol.* 2007 Aug; 52(2): 407-15. PMID: PMC2396456.
 100. FitzGerald MP, Litman HJ, Link CL, McKinlay JB. The association of nocturia with cardiac disease, diabetes, body mass index, age, and diuretic use: results from the Boston Area Community Health (BACH) Survey. *J Urol.* 2007 Apr; 177(4): 1385-9.
 101. Kupelian V, Araujo AB, Chiu GR, Rosen RC, McKinlay JB. Relative contributions of modifiable risk factors to erectile dysfunction: results from the Boston Area Community Health (BACH) Survey. *Prev Med.* 2010 Jan-Feb; 50(1-2): 19-25. PMID: PMC2813912
 102. Kupelian V, Chiu GR, Araujo AB, Williams RE, Clark RV, McKinlay JB. Association of sex hormones and C-reactive protein levels in men. *Clin Endocrinol (Oxf).* 2010; 72(4): 527-533.
 103. Kupelian V, McVary KT, Kaplan SA, Hall SA, Link CL, Aiyer LP, Mollon P, Tamimi N, Rosen RC, McKinlay JB. Association of lower urinary tract symptoms and the metabolic syndrome: results from the Boston Area Community Health (BACH) Survey. *J Urol.* 2009 Aug; 182(2): 616-24; discussion 624-5. PMID: PMC2770816.
 104. Kupelian V, McVary KT, Barry MJ, Link CL, Rosen RC, Aiyer LP, Mollon P, McKinlay JB. Association of C-Reactive protein and lower urinary tract symptoms in men and women: results from the Boston Area Community Health (BACH) Survey. *Urology.* 2009 May; 73(5): 950-7. PMID: PMC2770813
 105. Kupelian V, Link CL, Hall SA, McKinlay JB. Are race/ethnic disparities in the prevalence of nocturia due to socioeconomic status? Results of the BACH Survey. *J Urol.* 2009 Apr; 181(4): 1756-63. PMID: PMC2770809
 106. Kupelian V, Rosen RC, Link CL, McVary KT, Aiyer LP, Mollon P, Kaplan SA, McKinlay JB. Association of urologic symptoms and chronic illnesses in men and women:

- contribution of symptom severity and duration--results from the BACH Survey. *J Urol*. 2009 Feb; 181(2): 694-700. PMID: PMC2770813
107. Kupelian V, Hayes FJ, Link CL, Rosen R, McKinlay JB. Inverse association of testosterone and the metabolic syndrome in men is consistent across race and ethnic groups. *J Clin Endocrinol Metab*. 2008 Sep; 93(9): 3403-10. PMID: PMC2567862
 108. Kupelian V, Link CL, Rosen RC, McKinlay JB. Socioeconomic status, not race/ethnicity, contributes to variation in the prevalence of erectile dysfunction: results from the Boston Area Community Health (BACH) Survey. *J Sex Med*. 2008 June; 5(6): 1325-1333.
 109. Kupelian V, Link CL, McKinlay JB. Association between smoking, passive smoking, and erectile dysfunction: results from the Boston Area Community Health (BACH) Survey. *Eur Urol*. 2007 Aug; 52(2): 416-22. PMID: PMC2139983.
 110. Kupelian V, Wei JT, O'Leary MP, Kusek JW, Litman HJ, Link CL, McKinlay JB. Prevalence of lower urinary tract symptoms and effect on quality of life in a racially and ethnically diverse random sample: the Boston Area Community Health (BACH) Survey. *Arch Intern Med*. 2006 Nov 27; 166(21): 2381-7.
 111. Link CL, Pulliam SJ, McKinlay JB. Hysterectomies and Urologic Symptoms: results from the Boston Area Community Health (BACH) Survey. *Female Pelvic Medicine & Reconstructive Surgery*. 2010 Jan/Feb; 16(1): 37-47. PMID: PMC2707748
 112. Link CL, McKinlay JB. Disparities in the prevalence of diabetes: is it race/ethnicity or socioeconomic status? Results from the Boston Area Community Health (BACH) Survey. *Ethn & Dis*. 2009 Summer; 19(3): 288-92
 113. Link CL, Pulliam SJ, Hanno PM, Hall SA, Eggers PW, Kusek JW, McKinlay JB. Prevalence and psychosocial correlates of symptoms suggestive of painful bladder syndrome: results from the Boston Area Community Health (BACH) Survey. *J Urol*. 2008 Aug; 180(2): 599-606. PMID: PMC2707748
 114. Link CL, Lutfey KE, Steers WD, McKinlay JB. Is abuse causally related to urologic symptoms? Results from the Boston Area Community Health (BACH) Survey. *Eur Urol*. 2007 Aug; 52(2): 397-406. PMID: PMC2139977.
 115. Litman HJ, Wei JT, Steers WD, Kupelian V, Link CL, McKinlay JB. Relationship of lifestyle and clinical factors with lower urinary tract symptoms (LUTS): results from the Boston Area Community Health Survey. *Urology*. 2007 Nov; 70(5): 916-21. PMID: PMC2194647.
 116. Litman HJ, McKinlay JB. The future magnitude of urological symptoms in the USA: projections using the Boston Area Community Health Survey. *BJU Int*. 2007 Oct; 100(4): 820-5.
 117. Litman HJ, Bhasin S, O'Leary MP, Link CL, McKinlay JB. An investigation of the relationship between sex-steroid levels and urologic symptoms: results from the Boston Area Community Health (BACH) Survey. *BJU Int*. 2007 Aug; 100(2) :321-6.
 118. Litman HJ, Bhasin S, Link CL, Araujo AB, McKinlay JB. Serum androgen levels in black, Hispanic, and white men. *J Clin Endocrinol Metab*. 2006 Nov; 91(11): 4326-34.
 119. Lutfey KE, Link CL, Rosen RC, Wiegel M, and McKinlay, JB. Prevalence and correlates of sexual activity and function in women: results from the Boston Area Community Health (BACH) Survey. *Arch Sex Behav*. 2009 Aug; 38(4): 514-27

120. Lutfey KE, Link CL, Litman HJ, Rosen RC, McKinlay JB. An examination of the association of abuse (physical, sexual or emotional) and female sexual dysfunction (FSD): results from the Boston Area Community Health Survey. *FertilSteril.* 2008 Oct; 90(4): 957-64. PMID: PMC2583323
121. Maserejian NN, Giovannucci EL, McVary KT, McGrother C, McKinlay JB. Dietary macronutrient and energy intake and urinary incontinence in women. *Am J Epidemiol.* 2010 May 15;171(10):1116-25. PMID: PMC2877472
122. Maserejian NN, Giovannucci EL, McKinlay JB. Dietary macronutrients, cholesterol, and sodium and lower urinary tract symptoms in men. *Eur Urol.* 2009 May; 55(5): 1179-89. PMID: PMC2735823
123. McKinlay JB, Link CL. Measuring the urologic iceberg: Design and implementation of the Boston Area Community Health (BACH) Survey. *Eur Urol.* 2007 Aug; 52(2): 389-96. PMID: PMC2020848.
124. Robertson C, Link CL, Onel E, Mazetta C, Keech M, Hobbs R, Fourcade R, Kiemenen L, Lee C, Boyle P, McKinlay, JB. The impact of lower urinary tract symptoms and comorbidities on quality of life: the BACH and UREPIK studies. *BJU Int.* 2007 Feb; 99(2): 347-54.
125. Rosen RC, Link CL, O'Leary MP, Giuliano F, Aiyer LP, Mollon P. Lower urinary tract symptoms (LUTS) and sexual health: the role of gender, lifestyle and medical comorbidities. *BJU Int.* 2009 Apr; 103 Suppl 3:42-7.
126. Rosen RC, Coyne KS, David H, Link CL, Çinar A, Aiyer LP, Mollon P, Kaplan SA, Roehrborn CG, Thompson C. Beyond the cluster: methodological and clinical implications in the BACH and EPIC Studies. *BJU Int.* 2008 May; 101(10): 1274-8.
127. Tennstedt SL, Chiu GR, Link CL, Litman HJ, Kusek JW, McKinlay JB. The effects of severity of urine leakage on quality of life in Hispanic, white and black men and women: the Boston Area Community Health (BACH) Survey. *Urology.* 2010 Jan; 75(1): 27-33. PMID: PMC2813943
128. Tennstedt SL, Link CL, Steers, WD, McKinlay JB. Prevalence and risk factors of urine leakage in a racially and ethnically diverse population: the Boston Area Community Health (BACH) Survey. *Am J Epidemiol.* 2008 Feb; 167(4): 390-9.

BOSTON AREA COMMUNITY HEALTH/BONE (BACH/BONE) SURVEY

129. Araujo AB, Travison TG, Harris SS, Holick MF, Turner AK, McKinlay JB. Race/ethnic differences in bone mineral density in men. *Osteoporos Int* 2007;18(7):943-53.
130. Araujo AB, Esche GR, Kupelian V, et al. Prevalence of symptomatic androgen deficiency in men. *J Clin Endocrinol Metab* 2007;92(11):4241-7.
131. Araujo AB, Travison TG, Leder BZ, McKinlay JB. Correlations between serum testosterone, estradiol, and sex hormone-binding globulin and bone mineral density in a diverse sample of men. *J Clin Endocrinol Metab* 2008 Jun;93(6):2135-41. PMID: PMC2435644

132. Araujo AB, Travison TG, Bhasin S, et al. Association of testosterone and estradiol with age-related declines in physical function in a diverse sample of men. *J Am Geriatr Soc* 2008;56(11):2000-8. PMID: PMC2787197
133. Araujo AB, Travison TG, Esche GR, Holick MF, Chen TC, McKinlay JB. Serum 25-hydroxyvitamin D and bone mineral density among Hispanic men. *Osteoporos Int* 2009;20(2):245-55. PMID in process.
134. Chiu GR, Araujo AB, Travison TG, Hall SA, McKinlay JB. Relative contributions of multiple determinants to bone mineral density in men. *Osteoporos Int* 2009; 20(12):2035-47.
135. Hall SA, Chiu GR, Williams RE, Clark RV, Araujo AB. Physical Function and health-related quality-of-life in a population-based sample. *Aging Male* 2010. In Press.
136. Hannan MT, Litman HJ, Araujo AB, et al. Serum 25-hydroxyvitamin D and bone mineral density in a racially and ethnically diverse group of men. *J Clin Endocrinol Metab* 2008;93(1):40-6.
137. Kupelian V, Chiu GR, Araujo AB, Williams RE, Clark RV, McKinlay JB. Association of sex hormones and C-reactive protein levels in men. *Clin Endocrinol (Oxf)*. 2010; 72(4): 527-533.
138. Leder BZ, Araujo AB, Travison TG, McKinlay JB. Racial and ethnic differences in bone turnover markers in men. *J Clin Endocrinol Metab* 2007;92(9):3453-7.
139. Litman HJ, Bhasin S, Link CL, Araujo AB, McKinlay JB. Serum androgen levels in black, Hispanic, and white men. *J Clin Endocrinol Metab* 2006;91(11):4326-34.
140. McKinlay JB, Travison TG, Araujo AB, Kupelian V. Male menopause: time for a decent burial? *Menopause* 2007;14(6):973-5.
141. Travison TG, Araujo AB, Esche GR, Beck TJ, McKinlay JB. Lean mass and not fat mass is associated with male proximal femur strength. *J Bone Miner Res* 2008;23(2):189-98. PMID: PMC2665700
142. Travison TG, Araujo AB, Esche GR, McKinlay JB. The relationship between body composition and bone mineral content: threshold effects in a racially and ethnically diverse group of men. *Osteoporos Int* 2008;19(1):29-38. PMID: PMC2664109
143. Travison TG, Beck TJ, Esche GR, Araujo AB, McKinlay JB. Age trends in proximal femur geometry in men: variation by race and ethnicity. *Osteoporos Int* 2008;19(3):277-87. PMID in process.
144. Travison TG, Esche GR, McKinlay JB, Araujo AB. Relation between serum testosterone, serum estradiol, sex hormone-binding globulin, and geometrical measures of adult male proximal femur strength. *J Clin Endocrinol Metab* 2009;94(3):853-60.

PUBLICATIONS FROM OTHER STUDIES IN EPIDEMIOLOGY

145. Gerstenberger EP, Rosen RC, Brewer JV, Meston CM, Brotto LA, Wiegel M, Sand M. Sexual desire and the female sexual function index (FSFI): A sexual desire cutpoint for clinical interpretation of the FSFI in women with and without hypoactive sexual desire disorder. *J Sex Med*. 2010 Jun 17. [Epub ahead of print]

New England Research Institutes, Inc.

9 Galen Street, Watertown, MA 02472

Tel: 617-923-7747 Fax: 617-926-8246

06/17/2010 Page 11 of 12

T:\NERI Brand Update 2010\website content\Resources\EPI.pubs.201006.doc

146. Maserejian NN, Shifren JL, Parish S, Braunstein G, Gerstenberger E, Rosen R. The Presentation of Hypoactive Sexual Desire Disorder in Premenopausal Women. *J Sex Med.* In Press.
147. Maserejian NN, Parish S, Shifren J, Huang L, Gerstenberger E, Rosen R. Treatment Seeking and Healthcare Utilization in Women Clinically Diagnosed with Hypoactive Sexual Desire Disorder (HSDD): Interim Baseline Results from the HSDD Registry for Women. *J Womens Health.* In Press.
148. Rosen RC, Araujo AB, Connor MK, Elstad EA, McGraw SA, Guay AT, Morgentaler A, Miner MM. Assessing symptoms of hypogonadism by self-administered questionnaire: qualitative findings in patients and controls. *Aging Male.* 2009 Jun-Sep;12(2-3):77-85. Erratum in: *Aging Male.* 2009 Dec;12(4):157.
149. Rosen RC, Connor MK, Maserejian NN. The HSDD Registry for Women: A novel patient registry for women with generalized, acquired hypoactive sexual desire disorder. *J Sex Med.* 2010 May;7(5):1747-56.